EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16676	(Cooper.in.)OR(Brain.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/22 18:00
L2	246	L1 AND disabled	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/22 18:00
L3	1	L1 AND mDab	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/22 18:02
L4	85	mDab	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/22 18:24
L5	8	L4 AND neuron$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/22 18:03

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1652KHG

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	FEB 27	New STN AnaVist pricing effective March 1, 2006
NEWS	4	APR 04	STN AnaVist $500 visualization usage credit offered
NEWS	5	MAY 10	CA/CAplus enhanced with 1900-1906 U.S. patent records
NEWS	6	MAY 11	KOREAPAT updates resume
NEWS	7	MAY 19	Derwent World Patents Index to be reloaded and enhanced
NEWS	8	MAY 30	IPC 8 Rolled-up Core codes added to CA/CAplus and USPATFULL/USPAT2
NEWS	9	MAY 30	The F-Term thesaurus is now available in CA/CAplus
NEWS	10	JUN 02	The first reclassification of IPC codes now complete in INPADOC
NEWS	11	JUN 26	TULSA/TULSA2 reloaded and enhanced with new search and and display fields
NEWS	12	JUN 28	Price changes in full-text patent databases EPFULL and PCTFULL
NEWS	13	JUl 11	CHEMSAFE reloaded and enhanced
NEWS	14	JUl 14	FSTA enhanced with Japanese patents
NEWS	15	JUl 19	Coverage of Research Disclosure reinstated in DWPI

NEWS EXPRESS JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8
NEWS X25	X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 18:31:34 ON 22 JUL 2006

=> Fil reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 18:31:58 ON 22 JUL 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 21 JUL 2006 HIGHEST RN 894992-91-7
DICTIONARY FILE UPDATES: 21 JUL 2006 HIGHEST RN 894992-91-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

```
=> E (murine disabled protein)
E1            1     (MOO3)4/BI
E2            1     (MOSE)3/BI
E3            0 --> (MURINE DISABLED PROTEIN)/BI
E4            1     (N2)10/BI
E5            2     (N2)11/BI
E6            1     (N2)12/BI
E7            2     (N2)2/BI
E8            1     (N2)3/BI
E9            1     (N2)4/BI
E10           1     (N2)5/BI
E11           1     (N2)6/BI
E12           1     (N2)7/BI

=> E mDab
E1            2     MDA8/BI
E2           13     MDAA/BI
E3           41 --> MDAB/BI
E4            8     MDAB1/BI
E5            1     MDAB2/BI
E6            2     MDAB217/BI
E7            4     MDAB271/BI
E8            1     MDAB3/BI
E9            2     MDAB555/BI
E10           2     MDABG2/BI
E11           1     MDABMI/BI
E12           1     MDAC/BI

=> s E3
L1           41 MDAB/BI

=> File HCAPLUS
COST IN U.S. DOLLARS                        SINCE FILE      TOTAL
                                              ENTRY    SESSION
FULL ESTIMATED COST                            6.52       6.73

FILE 'HCAPLUS' ENTERED AT 18:34:11 ON 22 JUL 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
```

FILE COVERS 1907 - 22 Jul 2006 VOL 145 ISS 5
FILE LAST UPDATED: 21 Jul 2006 (20060721/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> S L1
L2 1022 L1

=> d 1-5 ti,so,ibib,abs L2

L2 ANSWER 1 OF 1022 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Complete genome sequence of the entomopathogenic and metabolically versatile soil bacterium Pseudomonas entomophila
SO Nature Biotechnology (2006), 24(6), 673-679
CODEN: NABIF9; ISSN: 1087-0156
ACCESSION NUMBER: 2006:543997 HCAPLUS
DOCUMENT NUMBER: 145:1987
TITLE: Complete genome sequence of the entomopathogenic and metabolically versatile soil bacterium Pseudomonas entomophila
AUTHOR(S): Vodovar, Nicolas; Vallenet, David; Cruveiller, Stephane; Rouy, Zoe; Barbe, Valerie; Acosta, Carlos; Cattolico, Laurence; Jubin, Claire; Lajus, Aurelie; Segurens, Beatrice; Vacherie, Benoit; Wincker, Patrick; Weissenbach, Jean; Lemaitre, Bruno; Medigue, Claudine; Boccard, Frederic
CORPORATE SOURCE: Centre de Genetique Moleculaire, Centre National de la Recherche Scientifique, Gif-sur-Yvette, 91198, Fr.
SOURCE: Nature Biotechnology (2006), 24(6), 673-679
CODEN: NABIF9; ISSN: 1087-0156
PUBLISHER: Nature Publishing Group
DOCUMENT TYPE: Journal
LANGUAGE: English
AB Pseudomonas entomophila is an entomopathogenic bacterium that, upon ingestion, kills Drosophila melanogaster as well as insects from different orders. The complete sequence of the 5.9-Mb genome was determined and compared to the sequenced genomes of four Pseudomonas species. P. entomophila possesses most of the catabolic genes of the closely related strain P. putida KT2440, revealing its metabolically versatile properties and its soil lifestyle. Several features that probably contribute to its entomopathogenic properties were disclosed. Unexpectedly for an animal pathogen, P. entomophila is devoid of a type III secretion system and associated toxins but rather relies on a number of potential virulence factors such as insecticidal toxins, proteases, putative hemolysins, hydrogen cyanide, and novel secondary metabolites to infect and kill insects. Genome-wide random mutagenesis revealed the major role of the two-component system GacS/GacA that regulates most of the potential

virulence factors identified. The genome sequence is deposited in GenBank/EMBL/DDBJ under accession number CT573326.
REFERENCE COUNT: 47 THERE ARE 47 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 2 OF 1022 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Identification of genes subject to positive selection in uropathogenic strains of Escherichia coli: A comparative genomics approach
SO Proceedings of the National Academy of Sciences of the United States of America (2006), 103(15), 5977-5982
CODEN: PNASA6; ISSN: 0027-8424
ACCESSION NUMBER: 2006:412173 HCAPLUS
DOCUMENT NUMBER: 145:40970
TITLE: Identification of genes subject to positive selection in uropathogenic strains of Escherichia coli: A comparative genomics approach
AUTHOR(S): Chen, Swaine L.; Hung, Chia-Seui; Xu, Jian; Reigstad, Christopher S.; Magrini, Vincent; Sabo, Aniko; Blasiar, Darin; Bieri, Tamberlyn; Meyer, Rekha R.; Ozersky, Philip; Armstrong, Jon R.; Fulton, Robert S.; Latreille, J. Phillip; Spieth, John; Hooton, Thomas M.; Mardis, Elaine R.; Hultgren, Scott J.; Gordon, Jeffrey I.
CORPORATE SOURCE: Center for Genome Sciences, Washington University School of Medicine, St. Louis, MO, 63110, USA
SOURCE: Proceedings of the National Academy of Sciences of the United States of America (2006), 103(15), 5977-5982
CODEN: PNASA6; ISSN: 0027-8424
PUBLISHER: National Academy of Sciences
DOCUMENT TYPE: Journal
LANGUAGE: English
AB Escherichia coli is a model laboratory bacterium, a species that is widely distributed in the environment, as well as a mutualist and pathogen in its human hosts. As such, E. coli represents an attractive organism to study how environment impacts microbial genome structure and function. Uropathogenic E. coli (UPEC) must adapt to life in several microbial communities in the human body, and has a complex life cycle in the bladder when it causes acute or recurrent urinary tract infection (UTI). Several studies designed to identify virulence factors have focused on genes that are uniquely represented in UPEC strains, whereas the role of genes that are common to all E. coli has received much less attention. This report describes the complete 5,065,741-bp genome sequence of a UPEC strain recovered from a patient with an acute bladder infection and compares it with 6 other finished E. coli genome sequences. About 3470 ortholog sets were searched for genes that are under pos. selection only in UPEC strains. Maximum likelihood-based anal. yielded 29 genes involved in various aspects of cell surface structure, DNA metabolism, nutrient acquisition, and UTI. These results were validated by resequencing a subset of the 29 genes in a panel of 50 urinary, periurethral, and rectal E. coli isolates from patients with UTI. These studies outline a computational approach that may be broadly applicable for studying strain-specific adaptation and pathogenesis in other bacteria. The complete genome sequence is deposited in GenBank/EMBL/DDBJ under accession nos. CP000243 (UT189 chromosome) and CP000244 (plasmid pUT189), and alleles of amiA, fepE, ampC, adk, icd, and mdh with accession nos. DQ389000-DQ389068 and DQ440980-DQ441250.
REFERENCE COUNT: 63 THERE ARE 63 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 3 OF 1022 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Genome dynamics and diversity of Shigella species, the etiologic agents of bacillary dysentery
SO Nucleic Acids Research (2005), 33(19), 6445-6458
CODEN: NARHAD; ISSN: 0305-1048

ACCESSION NUMBER: 2005:1320262 HCAPLUS
DOCUMENT NUMBER: 144:32715
TITLE: Genome dynamics and diversity of Shigella species, the etiologic agents of bacillary dysentery
AUTHOR(S): Yang, Fan; Yang, Jian; Zhang, Xiaobing; Chen, Lihong; Jiang, Yan; Yan, Yongliang; Tang, Xudong; Wang, Jing; Xiong, Zhaohui; Dong, Jie; Xue, Ying; Zhu, Yafang; Xu, Xingye; Sun, Lilian; Chen, Shuxia; Nie, Huan; Peng, Junping; Xu, Jianguo; Wang, Yu; Yuan, Zhenghong; Wen, Yumei; Yao, Zhijian; Shen, Yan; Qiang, Boqin; Hou, Yunde; Yu, Jun; Jin, Qi
CORPORATE SOURCE: State Key Laboratory for Molecular Virology and Genetic Engineering, Chinese Ministry of Public Health, Beijing, 100052, Peop. Rep. China
SOURCE: Nucleic Acids Research (2005), 33(19), 6445-6458
CODEN: NARHAD; ISSN: 0305-1048
PUBLISHER: Oxford University Press
DOCUMENT TYPE: Journal
LANGUAGE: English

AB The Shigella bacteria cause bacillary dysentery, which remains a significant threat to public health. The genus status and species classification appear no longer valid, as compelling evidence indicates that Shigella, as well as enteroinvasive Escherichia coli, are derived from multiple origins of E. coli and form a single pathovar. Nevertheless, Shigella dysenteriae serotype 1 causes deadly epidemics but Shigella boydii is restricted to the Indian subcontinent, while Shigella flexneri and Shigella sonnei are prevalent in developing and developed countries resp. To begin to explain these distinctive epidemiol. and pathol. features at the genome level, comparative genomics were carried out on 4 representative strains. Each of the Shigella genomes includes a virulence plasmid that encodes conserved primary virulence determinants. The Shigella chromosomes share most of their genes with that of E. coli K12 strain MG1655, but each has over 200 pseudogenes, 300.apprx.700 copies of insertion sequence (IS) elements, and numerous deletions, insertions, translocations, and inversions. There is extensive diversity of putative virulence genes, mostly acquired via bacteriophage-mediated lateral gene transfer. Hence, via convergent evolution involving gain and loss of functions, through bacteriophage-mediated gene acquisition, IS-mediated DNA rearrangements, and formation of pseudogenes, the Shigella spp. became highly specific human pathogens with variable epidemiol. and pathol. features. The genome sequences are deposited in GenBank/EMBL/DDBJ under accession nos. CP000034-CP000035 (S. dysenteriae Sd197 and plasmid pSD1-197), CP000036-CP000037 (S. boydii Sb227 and plasmid pSB4-227), and CP000038-CP000039 (S. sonnei Ss046 and plasmid pSS_046). [This abstract record is one of three records for this document necessitated by the large number of index entries required to fully index the document and publication system constraints.].

L2 ANSWER 4 OF 1022 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Genome dynamics and diversity of Shigella species, the etiologic agents of bacillary dysentery
SO Nucleic Acids Research (2005), 33(19), 6445-6458
CODEN: NARHAD; ISSN: 0305-1048
ACCESSION NUMBER: 2005:1320261 HCAPLUS
DOCUMENT NUMBER: 144:32714
TITLE: Genome dynamics and diversity of Shigella species, the etiologic agents of bacillary dysentery
AUTHOR(S): Yang, Fan; Yang, Jian; Zhang, Xiaobing; Chen, Lihong; Jiang, Yan; Yan, Yongliang; Tang, Xudong; Wang, Jing; Xiong, Zhaohui; Dong, Jie; Xue, Ying; Zhu, Yafang; Xu, Xingye; Sun, Lilian; Chen, Shuxia; Nie, Huan; Peng, Junping; Xu, Jianguo; Wang, Yu; Yuan, Zhenghong; Wen, Yumei; Yao, Zhijian; Shen, Yan; Qiang, Boqin; Hou,

Yunde; Yu, Jun; Jin, Qi
CORPORATE SOURCE: State Key Laboratory for Molecular Virology and Genetic Engineering, Chinese Ministry of Public Health, Beijing, 100052, Peop. Rep. China
SOURCE: Nucleic Acids Research (2005), 33(19), 6445-6458
CODEN: NARHAD; ISSN: 0305-1048
PUBLISHER: Oxford University Press
DOCUMENT TYPE: Journal
LANGUAGE: English
AB The Shigella bacteria cause bacillary dysentery, which remains a significant threat to public health. The genus status and species classification appear no longer valid, as compelling evidence indicates that Shigella, as well as enteroinvasive Escherichia coli, are derived from multiple origins of E. coli and form a single pathovar. Nevertheless, Shigella dysenteriae serotype 1 causes deadly epidemics but Shigella boydii is restricted to the Indian subcontinent, while Shigella flexneri and Shigella sonnei are prevalent in developing and developed countries resp. To begin to explain these distinctive epidemiol. and pathol. features at the genome level, comparative genomics were carried out on 4 representative strains. Each of the Shigella genomes includes a virulence plasmid that encodes conserved primary virulence determinants. The Shigella chromosomes share most of their genes with that of E. coli K12 strain MG1655, but each has over 200 pseudogenes, 300.apprx.700 copies of insertion sequence (IS) elements, and numerous deletions, insertions, translocations, and inversions. There is extensive diversity of putative virulence genes, mostly acquired via bacteriophage-mediated lateral gene transfer. Hence, via convergent evolution involving gain and loss of functions, through bacteriophage-mediated gene acquisition, IS-mediated DNA rearrangements, and formation of pseudogenes, the Shigella spp. became highly specific human pathogens with variable epidemiol. and pathol. features. The genome sequences are deposited in GenBank/EMBL/DDBJ under accession nos. CP000034-CP000035 (S. dysenteriae Sd197 and plasmid pSD1-197), CP000036-CP000037 (S. boydii Sb227 and plasmid pSB4-227), and CP000038-CP000039 (S. sonnei Ss046 and plasmid pSS_046). [This abstract record is one of three records for this document necessitated by the large number of index entries required to fully index the document and publication system constraints.].

L2 ANSWER 5 OF 1022 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Species-specific effects of the hepatocarcinogens 3'-methyl-4-dimethyl-aminoazobenzene and ortho-aminoazotoluene in mouse and rat liver
SO Molecular Carcinogenesis (2005), 44(4), 223-232
CODEN: MOCAE8; ISSN: 0899-1987
ACCESSION NUMBER: 2005:1315052 HCAPLUS
DOCUMENT NUMBER: 144:65367
TITLE: Species-specific effects of the hepatocarcinogens 3'-methyl-4-dimethyl-aminoazobenzene and ortho-aminoazotoluene in mouse and rat liver
AUTHOR(S): Merkulova, Tatyana I.; Kropachev, Konstantin Y.; Timofeeva, Olga A.; Vasiliev, Gennady V.; Levashova, Zoia B.; Ilnitskaya, Svetlana I.; Kobzev, Victor F.; Pakharukova, Maria Yu; Bryzgalov, Leonid O.; Kaledin, Vasily I.
CORPORATE SOURCE: Laboratory of Gene Expression Control, Institute of Cytology and Genetics of the Siberian Division of Russian Academy of Sciences, Novosibirsk, Russia
SOURCE: Molecular Carcinogenesis (2005), 44(4), 223-232
CODEN: MOCAE8; ISSN: 0899-1987
PUBLISHER: Wiley-Liss, Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English
AB The effects of rat-specific hepatocarcinogen 3'-methyl-4-dimethylaminoazobenzene (3'-MeDAB), mouse-specific hepatocarcinogen

ortho-aminoazotoluene (OAT), non-species-specific hepatocarcinogen diethylnitrosamine (DENA), and non-carcinogenic 4'-methyl-4-dimethylaminoazobenzene (4'-MeDAB) on glucocorticoid induction of tyrosine aminotransferase (TAT) and DNA-binding activity of hepatocyte nuclear factor 3 (HNF3) family of transcription factors were investigated with carcinogen-susceptible and -resistant animals. Species-specific hepatocarcinogens 3'-MeDAB and OAT strongly inhibited glucocorticoid induction of TAT in the liver of susceptible but not resistant animals. DENA, which is highly carcinogenic for the liver of both rats and mice inhibited glucocorticoid induction of TAT in both species, while non-carcinogenic 4'-MeDAB was absolutely ineffective both in rats and mice. The inhibition of TAT activity by the carcinogens was due to reduced levels of TAT mRNA, which is most likely to be a result of the reduced rate of transcription initiation of the TAT gene. In all cases, the TAT inhibition was accompanied by significant reduction of DNA-binding activity of the HNF3 transcription factor, which is known to be critical to glucocorticoid regulation of TAT gene. We also demonstrated that the described species-specific effects of OAT and of 3'-MeDAB on HNF3 DNA-binding activity may be initiated not only by administration in vivo, but also by their direct administration to homogenate, intact nuclei or nuclear lysate, but not to nuclear extract fraction, obtained by precipitation with
0.32 g/mL of ammonium sulfate (Fraction I). We showed, that a factor responsible for this effect might be precipitated in 0.32-0.47g/mL interval of ammonium sulfate concentration In contrast, non-specific hepatocarcinogen DENA was effective upon being added directly to Fraction I, implying a different mechanism of its action.
REFERENCE COUNT: 47 THERE ARE 47 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
=> s L2 AND neuronal
        102151 NEURONAL
             2 NEURONALS
        102152 NEURONAL
                  (NEURONAL OR NEURONALS)
L3           0 L2 AND NEURONAL

=> s L2 AND neural
         69587 NEURAL
             4 NEURALS
         69589 NEURAL
                  (NEURAL OR NEURALS)
L4           3 L2 AND NEURAL

=> d 1-3 ti,so.ibib,abs L4
'SO.IBIB' IS NOT A VALID FORMAT FOR FILE 'HCAPLUS'

The following are valid formats:

ABS --------- GI and AB
ALL --------- BIB, AB, IND, RE
APPS -------- AI, PRAI
BIB --------- AN, plus Bibliographic Data and PI table (default)
CAN --------- List of CA abstract numbers without answer numbers
CBIB -------- AN, plus Compressed Bibliographic Data
CLASS ------- IPC, NCL, ECLA, FTERM
DALL -------- ALL, delimited (end of each field identified)
DMAX -------- MAX, delimited for post-processing
FAM --------- AN, PI and PRAI in table, plus Patent Family data
FBIB -------- AN, BIB, plus Patent FAM
IND --------- Indexing data
IPC --------- International Patent Classifications
```

MAX --------- ALL, plus Patent FAM, RE
PATS -------- PI, SO
SAM --------- CC, SX, TI, ST, IT
SCAN -------- CC, SX, TI, ST, IT (random display, no answer numbers;
SCAN must be entered on the same line as the DISPLAY,
e.g., D SCAN or DISPLAY SCAN)
STD --------- BIB, CLASS

IABS -------- ABS, indented with text labels
IALL -------- ALL, indented with text labels
IBIB -------- BIB, indented with text labels
IMAX -------- MAX, indented with text labels
ISTD -------- STD, indented with text labels

OBIB -------- AN, plus Bibliographic Data (original)
OIBIB ------- OBIB, indented with text labels

SBIB -------- BIB, no citations
SIBIB ------- IBIB, no citations

HIT --------- Fields containing hit terms
HITIND ------ IC, ICA, ICI, NCL, CC and index field (ST and IT)
containing hit terms
HITRN ------- HIT RN and its text modification
HITSTR ------ HIT RN, its text modification, its CA index name, and
its structure diagram
HITSEQ ------ HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
KWIC -------- Hit term plus 20 words on either side
OCC --------- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.
ENTER DISPLAY FORMAT (BIB):ibib

L4 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2005:1108490 HCAPLUS
DOCUMENT NUMBER: 143:381068
TITLE: Mutagenicity of aromatic and heteroaromatic amines and related compounds: A QSAR investigation
AUTHOR(S): Bhat, Krishna L.; Hayik, Seth; Sztandera, Les; Bock, Charles W.
CORPORATE SOURCE: Department of Chemistry & Biochemistry, School of Science and Health, Philadelphia University, Philadelphia, PA, 19144, USA
SOURCE: QSAR & Combinatorial Science (2005), 24(7), 831-843
CODEN: QCSSAU; ISSN: 1611-020X
PUBLISHER: Wiley-VCH Verlag GmbH & Co. KGaA
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 97 THERE ARE 97 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2003:686663 HCAPLUS
DOCUMENT NUMBER: 140:248535
TITLE: Mutagenicity of aminoazo dyes and their reductive-cleavage metabolites: a QSAR/QPAR investigation
AUTHOR(S): Sztandera, Les; Garg, Ashish; Hayik, Seth; Bhat, Krishna L.; Bock, Charles W.
CORPORATE SOURCE: School of Science and Health and Department of Computer Science and Information Systems, Department of Chemistry & Biochemistry, Philadelphia University, Philadelphia, PA, 19144, USA
SOURCE: Dyes and Pigments (2003), 59(2), 117-133
CODEN: DYPIDX; ISSN: 0143-7208
PUBLISHER: Elsevier Science Ltd.
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 81 THERE ARE 81 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2002:701517 HCAPLUS
DOCUMENT NUMBER: 138:102245
TITLE: Mutagenicity of aminoazobenzene dyes and related structures: a QSAR/QPAR investigation
AUTHOR(S): Garg, Ashish; Bhat, Krishna L.; Bock, Charles W.
CORPORATE SOURCE: School of Science and Health and School of Textiles and Materials Technology, Department of Chemistry and Biochemistry, Philadelphia University, Philadelphia, PA, 19144, USA
SOURCE: Dyes and Pigments (2002), 55(1), 35-52
CODEN: DYPIDX; ISSN: 0143-7208
PUBLISHER: Elsevier Science Ltd.
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English
REFERENCE COUNT: 70 THERE ARE 70 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s (disabled protein)
1252 DISABLED
1892752 PROTEIN
1321214 PROTEINS
2203048 PROTEIN
(PROTEIN OR PROTEINS)
L5 18 (DISABLED PROTEIN)
(DISABLED(W)PROTEIN)

=> d 1-5 ti, so, ibib L5

L5 ANSWER 1 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Gαo/i and Gαs Signaling Function in Parallel with the MSP/Eph Receptor to Control Meiotic Diapause in C. elegans
SO Current Biology (2006), 16(13), 1257-1268
CODEN: CUBLE2; ISSN: 0960-9822
ACCESSION NUMBER: 2006:650656 HCAPLUS
TITLE: Gαo/i and Gαs Signaling Function in Parallel with the MSP/Eph Receptor to Control Meiotic Diapause in C. elegans
AUTHOR(S): Govindan, J. Amaranath; Cheng, Hua; Harris, Jana E.; Greenstein, David

CORPORATE SOURCE: Department of Cell and Developmental Biology, Vanderbilt University School of Medicine, 465 21 Avenue South, Nashville, 37232
SOURCE: Current Biology (2006), 16(13), 1257-1268
CODEN: CUBLE2; ISSN: 0960-9822
PUBLISHER: Cell Press
DOCUMENT TYPE: Journal
LANGUAGE: English

L5 ANSWER 2 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Inducers and co-inducers of molecular chaperones
SO International Journal of Hyperthermia (2005), 21(8), 703-711
CODEN: IJHYEQ; ISSN: 0265-6736
ACCESSION NUMBER: 2005:1302493 HCAPLUS
DOCUMENT NUMBER: 145:41594
TITLE: Inducers and co-inducers of molecular chaperones
AUTHOR(S): Ohtsuka, K.; Kawashima, D.; Gu, Y.; Saito, K.
CORPORATE SOURCE: Laboratory of Cell and Stress Biology, Department of Environmental Biology, Chubu University, Kasugai, Aichi, Japan
SOURCE: International Journal of Hyperthermia (2005), 21(8), 703-711
CODEN: IJHYEQ; ISSN: 0265-6736
PUBLISHER: Taylor & Francis Ltd.
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English
REFERENCE COUNT: 55 THERE ARE 55 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 3 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Role of spatiotemporal expression of iodothyronine deiodinase proteins in cerebellar cell organization
SO Brain Research Bulletin (2005), 67(3), 196-202
CODEN: BRBUDU; ISSN: 0361-9230
ACCESSION NUMBER: 2005:993386 HCAPLUS
DOCUMENT NUMBER: 143:456350
TITLE: Role of spatiotemporal expression of iodothyronine deiodinase proteins in cerebellar cell organization
AUTHOR(S): Verhoelst, C. H. J.; Roelens, S. A.; Darras, V. M.
CORPORATE SOURCE: Laboratory of Comparative Endocrinology, Zoological Institute, K.U. Leuven, Louvain, B-3000, Belg.
SOURCE: Brain Research Bulletin (2005), 67(3), 196-202
CODEN: BRBUDU; ISSN: 0361-9230
PUBLISHER: Elsevier Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 4 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Lipoprotein receptors and a disabled family cytoplasmic adaptor protein regulate EGL-17/FGF export in C. elegans
SO Genes & Development (2003), 17(22), 2798-2811
CODEN: GEDEEP; ISSN: 0890-9369
ACCESSION NUMBER: 2003:949554 HCAPLUS
DOCUMENT NUMBER: 140:107088
TITLE: Lipoprotein receptors and a disabled family cytoplasmic adaptor protein regulate EGL-17/FGF export in C. elegans
AUTHOR(S): Kamikura, Darren M.; Cooper, Jonathan A.
CORPORATE SOURCE: Fred Hutchinson Cancer Research Center, Seattle, WA, 98109, USA
SOURCE: Genes & Development (2003), 17(22), 2798-2811

CODEN: GEDEEP; ISSN: 0890-9369
PUBLISHER: Cold Spring Harbor Laboratory Press
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 61 THERE ARE 61 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 5 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Elucidation of Smad requirement in transforming growth factor-β type I receptor-induced responses
SO Journal of Biological Chemistry (2003), 278(6), 3751-3761
CODEN: JBCHA3; ISSN: 0021-9258
ACCESSION NUMBER: 2003:82712 HCAPLUS
DOCUMENT NUMBER: 138:348823
TITLE: Elucidation of Smad requirement in transforming growth factor-β type I receptor-induced responses
AUTHOR(S): Itoh, Susumu; Thorikay, Midory; Kowanetz, Marcin; Moustakas, Aristidis; Itoh, Fumiko; Heldin, Carl-Henrik; ten Dijke, Peter
CORPORATE SOURCE: Division of Cellular Biochemistry, The Netherlands Cancer Institute, Amsterdam, 1066 CX, Neth.
SOURCE: Journal of Biological Chemistry (2003), 278(6), 3751-3761
CODEN: JBCHA3; ISSN: 0021-9258
PUBLISHER: American Society for Biochemistry and Molecular Biology
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 77 THERE ARE 77 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d 6-18 ti, so, ibib L5

L5 ANSWER 6 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Immunoassay to determine Cyclin dependent kinase 5 activity by detection of disabled 1 protein phosphorylation
SO U.S. Pat. Appl. Publ., 14 pp.
CODEN: USXXCO
ACCESSION NUMBER: 2002:889453 HCAPLUS
DOCUMENT NUMBER: 137:381948
TITLE: Immunoassay to determine Cyclin dependent kinase 5 activity by detection of disabled 1 protein phosphorylation
INVENTOR(S): Curran, Thomas; Keshvara, Lakhu
PATENT ASSIGNEE(S): USA
SOURCE: U.S. Pat. Appl. Publ., 14 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002172990	A1	20021121	US 2002-78927	20020219
WO 2003070879	A2	20030828	WO 2003-US1463	20030116
WO 2003070879	A3	20060302		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ,

UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

AU 2003205198	A1	20030909	AU 2003-205198	20030116
PRIORITY APPLN. INFO.:			US 2002-78927	A 20020219
			WO 2003-US1463	W 20030116

L5 ANSWER 7 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Disabled-2 is Essential for Endodermal Cell Positioning and Structure Formation during Mouse Embryogenesis
SO Developmental Biology (Orlando, FL, United States) (2002), 251(1), 27-44
CODEN: DEBIAO; ISSN: 0012-1606

ACCESSION NUMBER:	2002:815334 HCAPLUS
DOCUMENT NUMBER:	138:268867
TITLE:	Disabled-2 is Essential for Endodermal Cell Positioning and Structure Formation during Mouse Embryogenesis
AUTHOR(S):	Yang, Dong-Hua; Smith, Elizabeth R.; Roland, Isabelle H.; Sheng, Zejuan; He, Junqi; Martin, W. David; Hamilton, Thomas C.; Lambeth, J. David; Xu, Xiang-Xi
CORPORATE SOURCE:	Ovarian Cancer and Tumor Cell Biology Programs, Fox Chase Cancer Center, Philadelphia, PA, 19111, USA
SOURCE:	Developmental Biology (Orlando, FL, United States) (2002), 251(1), 27-44 CODEN: DEBIAO; ISSN: 0012-1606
PUBLISHER:	Elsevier Science
DOCUMENT TYPE:	Journal
LANGUAGE:	English
REFERENCE COUNT:	61 THERE ARE 61 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 8 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Amelioration of motor neuron disease model with molecular chaperones - with special reference to spinal and bulbar muscular atrophy
SO International Congress Series (2001), 1221(Molecular Mechanism and Therapeutics of Amyotrophic Lateral Sclerosis), 307-316
CODEN: EXMDA4; ISSN: 0531-5131

ACCESSION NUMBER:	2001:600225 HCAPLUS
DOCUMENT NUMBER:	136:181808
TITLE:	Amelioration of motor neuron disease model with molecular chaperones - with special reference to spinal and bulbar muscular atrophy
AUTHOR(S):	Kobayashi, Yasushi; Takeuchi, Hideyuki; Li, Mei; Doyu, Manabu; Ohtsuka, Kenzo; Sobue, Gen
CORPORATE SOURCE:	Department of Neurology, Nagoya University School of Medicine, Nagoya, 466-8550, Japan
SOURCE:	International Congress Series (2001), 1221(Molecular Mechanism and Therapeutics of Amyotrophic Lateral Sclerosis), 307-316 CODEN: EXMDA4; ISSN: 0531-5131
PUBLISHER:	Elsevier Science B.V.
DOCUMENT TYPE:	Journal
LANGUAGE:	English
REFERENCE COUNT:	52 THERE ARE 52 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 9 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Induction of Disabled-2 Gene during Megakaryocyte Differentiation of K562 Cells
SO Biochemical and Biophysical Research Communications (2001), 285(1), 129-135

CODEN: BBRCA9; ISSN: 0006-291X
ACCESSION NUMBER: 2001:487686 HCAPLUS
DOCUMENT NUMBER: 135:239723
TITLE: Induction of Disabled-2 Gene during Megakaryocyte Differentiation of K562 Cells
AUTHOR(S): Tseng, Ching-Ping; Huang, Ching-Hui; Tseng, Ching-Chung; Lin, Mei-Hui; Hsieh, Jer-Tsong; Tseng, Chin-Hsiao
CORPORATE SOURCE: School of Medical Technology, Chang Gung University, Tao-Yuan, Taiwan
SOURCE: Biochemical and Biophysical Research Communications (2001), 285(1), 129-135
CODEN: BBRCA9; ISSN: 0006-291X
PUBLISHER: Academic Press
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 10 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI p67 isoform of mouse disabled 2 protein acts as a transcriptional activator during the differentiation of F9 cells
SO Biochemical Journal (2000), 352(3), 645-650
CODEN: BIJOAK; ISSN: 0264-6021
ACCESSION NUMBER: 2001:48056 HCAPLUS
DOCUMENT NUMBER: 134:250089
TITLE: p67 isoform of mouse disabled 2 protein acts as a transcriptional activator during the differentiation of F9 cells
AUTHOR(S): Cho, Si Young; Jeon, Jae Won; Lee, Sang Ho; Park, Sung Soo
CORPORATE SOURCE: Graduate School of Biotechnology, Korea University, Seoul, 136-701, S. Korea
SOURCE: Biochemical Journal (2000), 352(3), 645-650
CODEN: BIJOAK; ISSN: 0264-6021
PUBLISHER: Portland Press Ltd.
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 27 THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 11 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Cytosolic adaptor protein Dab2 is an intracellular ligand of endocytic receptor gp600/megalin
SO Biochemical Journal (2000), 347(3), 613-621
CODEN: BIJOAK; ISSN: 0264-6021
ACCESSION NUMBER: 2000:353988 HCAPLUS
DOCUMENT NUMBER: 133:87120
TITLE: Cytosolic adaptor protein Dab2 is an intracellular ligand of endocytic receptor gp600/megalin
AUTHOR(S): Oleinikov, Andrew V.; Zhao, Jun; Makker, Sudesh P.
CORPORATE SOURCE: Department of Pediatrics, Division of Nephrology, School of Medicine, University of California, Davis, CA, 95616, USA
SOURCE: Biochemical Journal (2000), 347(3), 613-621
CODEN: BIJOAK; ISSN: 0264-6021
PUBLISHER: Portland Press Ltd.
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 50 THERE ARE 50 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 12 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN

TI Chaperones Hsp70 and Hsp40 suppress aggregate formation and apoptosis in cultured neuronal cells expressing truncated androgen receptor protein with expanded polyglutamine tract
SO Journal of Biological Chemistry (2000), 275(12), 8772-8778
CODEN: JBCHA3; ISSN: 0021-9258

ACCESSION NUMBER: 2000:223523 HCAPLUS
DOCUMENT NUMBER: 133:3319
TITLE: Chaperones Hsp70 and Hsp40 suppress aggregate formation and apoptosis in cultured neuronal cells expressing truncated androgen receptor protein with expanded polyglutamine tract
AUTHOR(S): Kobayashi, Yasushi; Kume, Akito; Li, Mei; Doyu, Manabu; Hata, Mami; Ohtsuka, Kenzo; Sobue, Gen
CORPORATE SOURCE: Department of Neurology, Nagoya University School of Medicine, Nagoya, 466-8550, Japan
SOURCE: Journal of Biological Chemistry (2000), 275(12), 8772-8778
CODEN: JBCHA3; ISSN: 0021-9258
PUBLISHER: American Society for Biochemistry and Molecular Biology
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 60 THERE ARE 60 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 13 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Cloning and cDNA sequences of murine homologs of Drosophila Disabled protein and their diagnostic and therapeutic uses
SO PCT Int. Appl., 83 pp.
CODEN: PIXXD2

ACCESSION NUMBER: 1999:139948 HCAPLUS
DOCUMENT NUMBER: 130:205945
TITLE: Cloning and cDNA sequences of murine homologs of Drosophila Disabled protein and their diagnostic and therapeutic uses
INVENTOR(S): Cooper, Jonathan A.; Howell, Brian W.
PATENT ASSIGNEE(S): Fred Hutchinson Cancer Research Center, USA
SOURCE: PCT Int. Appl., 83 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
WO 9909153	A1	19990225	WO 1998-US17384		19980821
W: AU, CA, JP, US					
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE					
AU 9892016	A1	19990308	AU 1998-92016		19980821
PRIORITY APPLN. INFO.:			US 1997-56473P	P	19970821
			WO 1998-US17384	W	19980821

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 14 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Interaction of cytosolic adaptor proteins with neuronal apolipoprotein E receptors and the amyloid precursor protein
SO Journal of Biological Chemistry (1998), 273(50), 33556-33560
CODEN: JBCHA3; ISSN: 0021-9258

ACCESSION NUMBER: 1999:78 HCAPLUS

DOCUMENT NUMBER: 130:180531
TITLE: Interaction of cytosolic adaptor proteins with neuronal apolipoprotein E receptors and the amyloid precursor protein
AUTHOR(S): Trommsdorff, Marion; Borg, Jean-Paul; Margolis, Benjamin; Herz, Joachim
CORPORATE SOURCE: Department of Molecular Genetics, University of Texas Southwestern Medical Center, Dallas, TX, 75235-9046, USA
SOURCE: Journal of Biological Chemistry (1998), 273(50), 33556-33560
CODEN: JBCHA3; ISSN: 0021-9258
PUBLISHER: American Society for Biochemistry and Molecular Biology
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 43 THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 15 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Disabled is a putative adaptor protein that functions during signaling by the sevenless receptor tyrosine kinase
SO Molecular and Cellular Biology (1998), 18(8), 4844-4854
CODEN: MCEBD4; ISSN: 0270-7306
ACCESSION NUMBER: 1998:482872 HCAPLUS
DOCUMENT NUMBER: 129:200805
TITLE: Disabled is a putative adaptor protein that functions during signaling by the sevenless receptor tyrosine kinase
AUTHOR(S): Le, Ngocdiep; Simon, Michael A.
CORPORATE SOURCE: Department of Biological Sciences, Stanford University, Stanford, CA, 94305-5020, USA
SOURCE: Molecular and Cellular Biology (1998), 18(8), 4844-4854
CODEN: MCEBD4; ISSN: 0270-7306
PUBLISHER: American Society for Microbiology
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 65 THERE ARE 65 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 16 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Protein Disabled (Dab)
SO Saibonai Shigunaru Dentatsu (1995), 130-131. Editor(s): Yamamoto, Tadashi. Publisher: Yodosha, Tokyo, Japan.
CODEN: 64LXAO
ACCESSION NUMBER: 1997:367327 HCAPLUS
DOCUMENT NUMBER: 127:2088
TITLE: Protein Disabled (Dab)
AUTHOR(S): Okobe, Masataka; Okano, Eisuke
CORPORATE SOURCE: First Dep. Microbiol., Tokyo Jikei Univ. Sch. Med., Japan
SOURCE: Saibonai Shigunaru Dentatsu (1995), 130-131. Editor(s): Yamamoto, Tadashi. Yodosha: Tokyo, Japan.
CODEN: 64LXAO
DOCUMENT TYPE: Conference; General Review
LANGUAGE: Japanese

L5 ANSWER 17 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Dosage-sensitive modifiers of Drosophila abl tyrosine kinase function: prospero, a regulator of axonal outgrowth, and disabled, a novel tyrosine kinase substrate. [Erratum to document cited in CA118:230567]
SO Genes & Development (1996), 10(17), 2234

CODEN: GEDEEP; ISSN: 0890-9369
ACCESSION NUMBER: 1996:577945 HCAPLUS
DOCUMENT NUMBER: 125:243562
TITLE: Dosage-sensitive modifiers of Drosophila abl tyrosine kinase function: prospero, a regulator of axonal outgrowth, and disabled, a novel tyrosine kinase substrate. [Erratum to document cited in CA118:230567]
AUTHOR(S): Gertler, Frank B.; Hill, Kevin K.; Clark, Michael J.; Hoffman, F. Michael
CORPORATE SOURCE: Mcardle Lab. Cancer Res., Univ. Wisconsin, Madison, WI, 53706, USA
SOURCE: Genes & Development (1996), 10(17), 2234
CODEN: GEDEEP; ISSN: 0890-9369
PUBLISHER: Cold Spring Harbor Laboratory Press
DOCUMENT TYPE: Journal
LANGUAGE: English

L5 ANSWER 18 OF 18 HCAPLUS COPYRIGHT 2006 ACS on STN
TI Dosage-sensitive modifiers of Drosophila abl tyrosine kinase function: prospero, a regulator of axonal outgrowth, and disabled, a novel tyrosine kinase substrate
SO Genes & Development (1993), 7(3), 441-53
CODEN: GEDEEP; ISSN: 0890-9369
ACCESSION NUMBER: 1993:230567 HCAPLUS
DOCUMENT NUMBER: 118:230567
TITLE: Dosage-sensitive modifiers of Drosophila abl tyrosine kinase function: prospero, a regulator of axonal outgrowth, and disabled, a novel tyrosine kinase substrate
AUTHOR(S): Gertler, Frank B.; Hill, Kevin K.; Clark, Michael J.; Hoffmann, Michael
CORPORATE SOURCE: McArdle Lab. Cancer Res., Univ. Wisconsin, Madison, WI, 53706, USA
SOURCE: Genes & Development (1993), 7(3), 441-53
CODEN: GEDEEP; ISSN: 0890-9369
DOCUMENT TYPE: Journal
LANGUAGE: English

=> d his

(FILE 'HOME' ENTERED AT 18:31:34 ON 22 JUL 2006)

FILE 'REGISTRY' ENTERED AT 18:31:58 ON 22 JUL 2006
E (MURINE DISABLED PROTEIN)
E MDAB
L1 41 S E3

FILE 'HCAPLUS' ENTERED AT 18:34:11 ON 22 JUL 2006
L2 1022 S L1
L3 0 S L2 AND NEURONAL
L4 3 S L2 AND NEURAL
L5 18 S (DISABLED PROTEIN)

PALM INTRANET

Day : Saturday
Date: 7/22/2006
Time: 17:56:59

Inventor Name Search Result

Your Search was:

Last Name = COOPER
First Name = JONATHAN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
06153432	D264908	150	05/27/1980	COMBINED CUP DISPENSER AND STRAW HOLDER	COOPER, JONATHAN
06369745	D276296	150	04/19/1982	OUTDOOR TELEPHONE BOOTH	COOPER, JONATHAN
09571375	6393748	150	05/15/2000	SIGN SUPPORT SYSTEM	COOPER, JONATHAN
10181093	Not Issued	161	09/30/2002	Analytical chip	COOPER, JONATHAN
09486293	Not Issued	71	08/22/2000	ISOLATION AND EXPRESSION OF A DISABLED PROTEIN GENE MDABI AND METHODS	COOPER, JONATHAN A
60056473	Not Issued	159	08/21/1997	REQUIREMENT FOR MDAB1 IN NEURONAL POSITIONING	COOPER, JONATHAN A.
09648102	Not Issued	161	08/25/2000	Money transfer system and method with added security features	COOPER, JONATHAN D.
10716637	Not Issued	120	11/18/2003	Money transfer system and method with added security features	COOPER, JONATHAN D.
09606632	Not Issued	161	06/29/2000	Method and apparatus for receiving, recording, and displaying digital media transmissions over a digital broadcast medium	COOPER, JONATHAN H.
09967829	Not Issued	61	09/28/2001	System and method for selecting relevant products to be transparently acquired for a consumer	COOPER, JONATHAN H.
10215375	Not Issued	41	08/07/2002	Characterization of content based on the associated serialized data	COOPER, JONATHAN H.
60715552	Not Issued	20	09/09/2005	Method and system for multicast delivery of multimedia content on demand	COOPER, JONATHAN HILTON
10472911	Not Issued	41	03/18/2004	Synthetic paper	COOPER, JONATHAN JAMES
10943733	Not Issued	41	09/17/2004	Watermarked polymeric sheet and method of making the same	COOPER, JONATHAN JAMES
11445854	Not Issued	19	06/03/2006	Rolling support for piping	COOPER, JONATHAN MALCOM
09787311	Not Issued	161	10/03/2001	Artificial olfactory sensing system	COOPER, JONATHAN MARK

09937518	Not Issued	161	01/25/2002	Assay system	COOPER, JONATHAN MARK
10494168	Not Issued	30	09/29/2004	Microfluidic ser(r)s detection	COOPER, JONATHAN MARK
10503449	Not Issued	30	08/30/2005	Device for performing cell assays	COOPER, JONATHAN MARK
60355163	Not Issued	159	02/08/2002	Device for performing cell assays	COOPER, JONATHAN MARK
60584855	Not Issued	159	07/02/2004	Devices and methods for the correlated analysis of multiple protein or peptide samples	COOPER, JONATHAN S.
11171427	Not Issued	30	07/01/2005	Devices and methods for correlated analysis of multiple protein or peptide samples	COOPER, JONATHAN W.
60472509	Not Issued	159	05/23/2003	Isotachophoresis based selective enrichment of low abundance proteins	COOPER, JONATHAN WILLIAM
60724666	Not Issued	20	10/07/2005	Engineered biological matrices	COOPER, JONATHAN WILLIAM
07664208	5270475	250	03/04/1991	ELECTRONIC MUSIC SYSTEM	COOPERSMITH, JONATHAN
08168267	5408911	250	12/14/1993	MUSICAL INSTRUMENT STRING	COOPERSMITH, JONATHAN
08375017	5567903	250	01/19/1995	TRANSDUCER ASSEMBLY FOR A STRINGED MUSICAL INSTRUMENT	COOPERSMITH, JONATHAN

Inventor Search Completed: No Records to Display.

Search Another: Inventor **Last Name** Cooper **First Name** Jonathan Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

PALM INTRANET

Day : Saturday
Date: 7/22/2006
Time: 17:58:19

Inventor Name Search Result

Your Search was:

Last Name = BRAIN
First Name = HOWELL

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09486293	Not Issued	71	08/22/2000	ISOLATION AND EXPRESSION OF A DISABLED PROTEIN GENE MDABI AND METHODS	BRAIN, HOWELL W.

Inventor Search Completed: No Records to Display.

Search Another: Inventor **Last Name** Brain **First Name** Howell Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page